

## RECEIVED

MAR 2 9 2002





1600

4-2-02 P.Z.

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/357,675C

DATE: 03/26/2002 TIME: 14:13:26

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

```
4 <110> APPLICANT: Croce, Carlo M.
6 <120> TITLE OF INVENTION: Nitrilase Homologs
9 <130> FILE REFERENCE: CRO01.NP001
11 <140> CURRENT APPLICATION NUMBER: 09/357,675C
12 <141> CURRENT FILING DATE: 1999-07-20
14 <150> PRIOR APPLICATION NUMBER: 60/093,350
```

15 <151> PRIOR FILING DATE: 1998-07-20 17 <160> NUMBER OF SEQ ID NOS: 31

19 <170> SOFTWARE: FastSEQ for Windows Version 4.0

21 <210> SEQ ID NO: 1
22 <211> LENGTH: 1416

23 <212> TYPE: DNA

24 <213> ORGANISM: Homo sapiens

26 <220> FEATURE:

27 <221> NAME/KEY: misc\_feature.

28 <222> LOCATION: (19)...(19)

29 <223> OTHER INFORMATION: n=a

31 <400> SEQUENCE: 1

•



MAR 2 9 2002

**TECH CENTER 1600/2900** 

/	31	<400> SEQUE	ENCE: I					
	32	gcccactcgc	tgcggcctnt	ctggctccag	accgccctcc	ggatcggacc	ctgcgaatgg	60
	33	ttttggctat	atcttcatgt	aggacctact	ccctatcccg	tcggccgcgg	ctgggcttca	120
	34	tcaccaggcc	tcctcacaga	ttcctgtccc	ttctgtgtcc	tggactccgg	atacctcaac	180
	35	tctcagtact	ttgtgctcag	cccaggccca	gagccatggc	tatctcctct	tcctcctgcg	240
	36	aactgcccct	ggtggctgtg	tgccaggtaa	catcgacgcc	agacaagcaa	cagaacttta	300
	37	aaacatgtgc	tgagctggtt	cgagaggctg	ccagactggg	tgcctgcctg	gctttcctgc	360
	38	ctgaggcatt	tgacttcatt	gcacgggacc	ctgcagagac	gctacacctg	tctgaaccac	420
	39	tgggtgggaa	acttttggaa	gaatacaccc	agcttgccag	ggaatgtgga	ctctggctgt	480
	40	ccttgggtgg	tttccatgag	cgtggccaag	actgggagca	gactcagaaa	atctacaatt	540
	41	gtcacgtgct	gctgaacagc	aaaggggcag	tagtggccac	ttacaggaag	acacatctgt	600
	42	gtgacgtaga	gattccaggg	caggggccta	tgtgtgaaag	caactctacc	atgcctgggc	660
	43	ccagtcttga	gtcacctgtc	agcacaccag	caggcaagat	tggtctagct	gtctgctatg	720
	44	acatgcggtt	ccctgaactc	tctctggcat	tggctcaagc	tggagcagag	atacttacct	780
	45	atccttcagc	ttttggatcc	attacaggcc	cagcccactg	ggaggtgttg	ctgcgggccc	840
	46	gtgctatcga	aacccagtgc	tatgtagtgg	cagcagcaca	gtgtggacgc	caccatgaga	900
	47	agagagcaag	ttatggccac	agcatggtgg	tagacccctg	gggaacagtg	gtggcccgct	960
	48	gctctgaggg	gccaggcctc	tgccttgccc	gaatagacct	caactatctg	cgacagttgc	1020
	49	gccgacacct	gcctgtgttc	cagcaccgca	ggcctgacct	ctatggcaat	ctgggtcacc	1080
	50	cactgtctta	agacttgact	tctgtgagtt	tagacctgcc	cctcccaccc	ccaccctgcc	1140
	51	actatgagct	agtgctcatg	tgacttggag	gcaggatcca	ggcacagctc	ccctcacttg	1200
	52	gagaaccttg	actctcttga	tggaacacag	atgggctgct	tgggaaagaa	actttcacct	1260
	53	gagcttcacc	tgaggtcaga	ctgcagtttc	agaaaggtgg	aattttatat	agtcattgtt	1320
	54	tatttcatgg	aaactgaagt	tctgctgagg	gctgagcagc	actggcattg	aaaaatataa	1380
			gtcaaaaaaa			_		1416

57 <210> SEQ ID NO: 2

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

58 <211> LENGTH: 23 59 <212> TYPE: DNA 60 <213> ORGANISM: Homo sapiens 62 <400> SEQUENCE: 2 63 totgaaactg cagtotgaco toa 23 65 <210> SEQ ID NO: 3 66 <211> LENGTH: 21 67 <212> TYPE: DNA 68 <213> ORGANISM: Homo sapiens 70 <400> SEQUENCE: 3 21 71 caggcacagc tcccctcact t 73 <210> SEQ ID NO: 4 74 <211> LENGTH: 20 75 <212> TYPE: DNA 76 <213> ORGANISM: Homo sapiens 78 <220> FEATURE: 79 <221> NAME/KEY: misc\_feature 80 <222> LOCATION: (0)...(0) 81 <223> OTHER INFORMATION: n=a, g, c or t 83 <400> SEQUENCE: 4 84 gtngtnccng gncaygtngt 20 86 <210> SEQ ID NO: 5 87 <211> LENGTH: 26 88 <212> TYPE: DNA 89 <213> ORGANISM: Homo sapiens 91 <220> FEATURE: 92 <221> NAME/KEY: misc\_feature 93 <222> LOCATION: (0)...(0) 94 <223> OTHER INFORMATION: n=a,c,g, or t and y=c or t 96 <400> SEQUENCE: 5 > 97 acrtgnacrt gyttnacngt ytgngc 26 99 <210> SEQ ID NO: 6 100 <211> LENGTH: 21 101 <212> TYPE: DNA 102 <213> ORGANISM: Drosophila melanogaster 104 <400> SEQUENCE: 6 21 105 gcgcctttgt ggcctcgact g 107 <210> SEQ ID NO: 7 108 <211> LENGTH: 21 109 <212> TYPE: DNA 110 <213> ORGANISM: Drosophila melanogaster 112 <400> SEQUENCE: 7 21 113 cggtggcgga agttgtctgg t 115 <210> SEQ ID NO: 8 116 <211> LENGTH: 20 117 <212> TYPE: DNA 118 <213> ORGANISM: Caenorhabditis elegans 120 <400> SEQUENCE: 8 121 gtggcggctg ctcaaactgg 20

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

	<210> SEQ ID NO: 9	
	<211> LENGTH: 21	
	<212> TYPE: DNA	
	<213> ORGANISM: Caenorhabditis elegans	
	<400> SEQUENCE: 9	
	togogacgat gaacaagtog g	21
	<210> SEQ ID NO: 10	
	<211> LENGTH: 19	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 10	
	gccctccgga tcggaccct	19
	<210> SEQ ID NO: 11	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 11	
	gacctactcc ctatcccgtc	20
	<210> SEQ ID NO: 12	
	<211> LENGTH: 21	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 12	
	gctgcgaagt gcacagctaa g	21
	<210> SEQ ID NO: 13	
	<211> LENGTH: 24	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 13	
	aaactgaagc ctctttcctc tgac	24
	<210> SEQ ID NO: 14	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 14	
	tgggcttcat caccaggcct	20
	<210> SEQ ID NO: 15	
	<211> LENGTH: 22	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 15	
	ctgggctgag cacaaagtac tg	22
	<210> SEQ ID NO: 16	
	<211> LENGTH: 21	
	<212> TYPE: DNA	
	<213> ORGANISM: Homo sapiens	
	<400> SEQUENCE: 16	0.1
	gcttgtctgg cgtcgatgtt a	21
187	<210> SEQ ID NO: 17	

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

```
188 <211> LENGTH: 36
  189 <212> TYPE: DNA
  190 <213> ORGANISM: Homo sapiens
  192 <400> SEQUENCE: 17
  193 tgacgtcgac atatgtcaac tctagttaat accacg
                                                                             36
  195 <210> SEQ ID NO: 18
  196 <211> LENGTH: 25
  197 <212> TYPE: DNA
  198 <213> ORGANISM: Homo sapiens
  200 <400> SEQUENCE: 18
                                                                             25
  201 tgggtacctc gactagctta tgtcc
  203 <210> SEQ ID NO: 19
  204 <211> LENGTH: 147
  205 <212> TYPE: PRT
  206 <213> ORGANISM: Homo sapien
  208 <220> FEATURE:
  209 <223> OTHER INFORMATION: Xaa is an unknown amino acid
  211 <400> SEQUENCE: 19
  212 Met Ser Phe Arg Phe Gly Gln His Leu Ile Lys Pro Ser Val Val Phe
                      -5
  214 Leu Lys Thr Glu Leu Ser Phe Ala Leu Val Asn Arg Lys Pro Val Val
                                      25
  216 Pro Gly His Val Leu Val Cys Pro Leu Arg Pro Val Glu Arg Phe His
  217
  218 Asp Leu Arg Pro Asp Glu Val Ala Asp Leu Phe Gln Thr Thr Gln Arg
  220 Val Gly Thr Val Val Glu Lys His Phe His Gly Thr Ser Leu Thr Phe
                         70
🥠 222 Ser Xaa Gln Asp Gly Pro Glu Ala Gly Gln Thr Val Lys His Val His
                    85
                                         90
  224 Val His Val Leu Pro Arg Lys Ala Gly Asp Phe His Arg Asn Asp Ser
                                      105
  225
       100
  226 Ile Tyr Glu Glu Leu Gln Lys His Asp Lys Glu Asp Phe Pro Ala Ser
                                 120
  227 115
                                                     125
  228 Trp Arg Ser Glu Glu Glu Glu Ala Ala Glu Ala Ala Leu Arg Val
                             135
         130
  230 Tyr Phe Gln
  231 145
  234 <210> SEQ ID NO: 20
  235 <211> LENGTH: 150
  236 <212> TYPE: PRT
  237 <213> ORGANISM: murine
  239 <400> SEQUENCE: 20
  240 Met Ser Phe Arg Phe Gly Gln His Leu Ile Lys Pro Ser Val Val Phe
  241 1
                      5
  242 Leu Lys Thr Glu Leu Ser Phe Ala Leu Val Asn Arg Lys Pro Val Val
                                      25
 244 Pro Gly His Val Leu Val Cys Pro Leu Arg Pro Val Glu Arg Phe Arg
  245
                                 40
```

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

```
246 Asp Leu His Pro Asp Glu Val Ala Asp Leu Phe Gln Val Thr Gln Arg
                            55
248 Val Gly Thr Val Val Glu Lys His Phe Gln Gly Thr Ser Ile Thr Phe
250 Ser Met Gln Asp Gly Pro Glu Ala Gly Gln Thr Val Lys His Val His
                                        90
                   85
252 Val His Val Leu Pro Arg Lys Ala Gly Asp Phe Pro Arg Asn Asp Asn
                                    105
254 Ile Tyr Asp Glu Leu Gln Lys His Asp Arg Glu Glu Glu Asp Ser Pro
256 Ala Phe Trp Arg Ser Glu Lys Glu Met Ala Ala Glu Ala Glu Ala Leu
                            135
258 Arg Val Tyr Phe Gln Ala
262 <210> SEQ ID NO: 21
263 <211> LENGTH: 327
264 <212> TYPE: PRT
265 <213> ORGANISM: Homo sapien
267 <400> SEQUENCE: 21
268 Met Leu Gly Phe Ile Thr Arg Pro Pro His Arg Phe Leu Ser Leu Leu
270 Cys Pro Gly Leu Arg Ile Pro Gln Leu Ser Val Leu Cys Ala Gln Pro
272 Arg Pro Arg Ala Met Ala Ile Ser Ser Ser Cys Glu Leu Pro Leu
274 Val Ala Val Cys Gln Val Thr Ser Thr Pro Asp Lys Gln Gln Asn Phe
                            55
276 Lys Thr Cys Ala Glu Leu Val Arg Glu Ala Ala Arg Leu Gly Ala Cys
                        70
278 Leu Ala Phe Leu Pro Glu Ala Phe Asp Phe Ile Ala Arg Asp Pro Ala
                   85
280 Glu Thr Leu His Leu Ser Glu Pro Leu Gly Gly Lys Leu Leu Glu Glu
               100
                                    105
282 Tyr Thr Gln Leu Ala Arg Glu Cys Gly Leu Trp Leu Ser Leu Gly Gly
                                120
284 Phe His Glu Arg Gly Gln Asp Trp Glu Gln Thr Gln Lys Ile Tyr Asn
                            135
286 Cys His Val Leu Leu Asn Ser Lys Gly Ala Val Val Ala Thr Tyr Arg
                        150
                                            155
288 Lys Thr His Leu Cys Asp Val Glu Ile Pro Gly Gln Gly Pro Met Cys
                   165
290 Glu Ser Asn Ser Thr Met Pro Gly Pro Ser Leu Glu Ser Pro Val Ser
               180
                                    185
291
292 Thr Pro Ala Gly Lys Ile Gly Leu Ala Val Cys Tyr Asp Met Arg Phe
           195
                                200
294 Pro Glu Leu Ser Leu Ala Leu Ala Gln Ala Gly Ala Glu Ile Leu Thr
                            215
296 Tyr Pro Ser Ala Phe Gly Ser Ile Thr Gly Pro Ala His Trp Glu Val
297 225
                        230
                                            235
```

VARIABLE LOCATION SUMMARY

PATENT APPLICATION: US/09/357,675C

DATE: 03/26/2002 TIME: 14:13:27

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF3\03262002\I357675C.raw

## Use of n's or Xaa's(NEW RULES):

Use of n's and/or Xaa's have been detected in the Sequence Listing.
Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
in <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.

Seq#:1; N Pos. 19

Seq#:4; N Pos. 3,6,9,12,18 Seq#:5; N Pos. 6,15,18,24

Seq#:19; Xaa Pos. 82
Seq#:25; Xaa Pos. 6